


Commercial: Euro Contour Locking System

AT 06-292020

The Euro Contour Locking System combines the aesthetics and low operating force of Contour with with the high performance and flexibility of Euro style locking systems. Euro style locking allows the customer to customize the number of lock points on a window to meet any architectural design pressure requirement. Handles provide in both standard Contour and Maxim LP styling to blend seamlessly with Contour operators to complete a visual package for architectural windows

Technical Specifications

- ✔ Adjustment ranges
 - Adjustable keeper range +/- 1/16"
 - Adjustable Pawl range +/- 1/32"
- ✔ Load limit 200lb per lock point dependent on keeper/pawl combination
- ✔ Easy slide in installation with customer processed connecting rod system
- ✔ Complete system is secured with only two screws at the handle drive



Key Features & Benefits

- ✔ High performance for large locking point loads exceeding 200 lb
- ✔ Ease of operation for meeting ADA applications
- ✔ Flexibility and easy installation
- ✔ Integrated gasket for weather resistance

Commercial: Euro Contour Locking System

AT 06-292020

Part Numbers

Part Numbers	Description	Carton Quantity
24.54.XX.001	Contour Multi Lock handle	50
24.45.XX.001	Contour LP Multi Lock handle	50
03524	Connecting Rod	600 ft roll
01352	Pawl pin (for PA009 machine)	400
01332	Short Drive pin	50
02320	Tall Drive pin	500
04047	Pawl connector short	200
04663	Pawl connector tall	100
01373	Pawl saddle non-adjustable	20
01395	Pawl saddle adjustable	100
04046	T head Pawl and strike	20
01266	Keeper flat non-adjustable	100
01280	Keeper flat adjustable	100
01347	Keeper T1 groove adjustable	200
01400	Keeper T1 groove offset adjustable	200

Warranty

- ✔ AT Standard 10 Year

Recommended Mounting Screws

- ✔ Contour standard handle = #10-24 PH PH screws


Materials

- ✔ Handle drives are zinc diecast with powder coating
- ✔ Keepers/pawls are zinc diecast with protective coatings or Stainless steel


Commercial: Euro Contour Locking System

AT 06-292020


Technical Drawing



01347 & 01400





04047 & 04663



01373 & 01395




01352, 01332, 02320





03524

Rod Prep for 01373



04046




Rod Prep for 04047

Commercial: Euro Contour Locking System

AT 06-292020

Contour™ Lock Handle



Maxim™ LP Lock

