

Legacy 98.01

Part #	Action	Fabrication Pattern	Color Code	Color Name	Panel Thickness	Escutcheon Width	Mounting Hole Distance	Handle Length	Handle Height	Handle Width	Carton Quantity	Kit Contents
98.01.01.100	Semi-Active (No Key)	Center/3 Hole	01	Wet White	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.02.100	Semi-Active (No Key)	Center/3 Hole	02	Black	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.06.100	Semi-Active (No Key)	Center/3 Hole	06	Vision Tan	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.14.100	Semi-Active (No Key)	Center/3 Hole	14	Mineral Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.75.100	Semi-Active (No Key)	Center/3 Hole	75	Plated Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.76.100	Semi-Active (No Key)	Center/3 Hole	76	Solid Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.86.100	Semi-Active (No Key)	Center/3 Hole	86	Dark Oil Rubbed Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.90.100	Semi-Active (No Key)	Center/3 Hole	90	Satin Nickel (Brass Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.95.100	Semi-Active (No Key)	Center/3 Hole	95	Satin Nickel (Zinc or Steel Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.01.101	Semi-Active (No Key)	Offset/4 Hole	01	Wet White	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.02.101	Semi-Active (No Key)	Offset/4 Hole	02	Black	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.14.101	Semi-Active (No Key)	Offset/4 Hole	14	Mineral Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.75.101	Semi-Active (No Key)	Offset/4 Hole	75	Plated Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet

98.01.76.101	Semi-Active (No Key)	Offset/4 Hole	76	Solid Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.86.101	Semi-Active (No Key)	Offset/4 Hole	86	Dark Oil Rubbed Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.90.101	Semi-Active (No Key)	Offset/4 Hole	90	Satin Nickel (Brass Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.95.101	Semi-Active (No Key)	Offset/4 Hole	95	Satin Nickel (Zinc or Steel Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.01.102	Active (Keyed)	Center/3 Hole	01	Wet White	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.02.102	Active (Keyed)	Center/3 Hole	02	Black	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.06.102	Active (Keyed)	Center/3 Hole	06	Vision Tan	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.14.102	Active (Keyed)	Center/3 Hole	14	Mineral Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.75.102	Active (Keyed)	Center/3 Hole	75	Plated Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.76.102	Active (Keyed)	Center/3 Hole	76	Solid Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.86.102	Active (Keyed)	Center/3 Hole	86	Dark Oil Rubbed Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.90.102	Active (Keyed)	Center/3 Hole	90	Satin Nickel (Brass Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.95.102	Active (Keyed)	Center/3 Hole	95	Satin Nickel (Zinc or Steel Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.01.103	Active (Keyed)	Center/4 Hole	01	Wet White	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.01.104	Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	01	Wet White	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
												Matching inside/outside handles, Integrated lever/tung

98.01.02.103	Active (Keyed)	Center/4 Hole	02	Black	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.02.104	Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	02	Black	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.06.101	Semi-Active (No Key)	Offset/4 Hole	06	Vision Tan	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.06.103	Active (Keyed)	Center/4 Hole	06	Vision Tan	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.06.104	Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	06	Vision Tan	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.14.103	Active (Keyed)	Center/4 Hole	14	Mineral Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.14.104	Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	14	Mineral Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.75.103	Active (Keyed)	Center/4 Hole	75	Plated Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.75.104	Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	75	Plated Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.76.103	Active (Keyed)	Center/4 Hole	76	Solid Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.76.104	Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	76	Solid Brass	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.86.103	Active (Keyed)	Center/4 Hole	86	Dark Oil Rubbed Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.86.104	Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	86	Dark Oil Rubbed Bronze	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.90.103	Active (Keyed)	Center/4 Hole	90	Satin Nickel (Brass Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, Integrated lever/tung assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.90.104	Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	90	Satin Nickel (Brass Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
	Active	Center/4		Satin Nickel (Zinc	1.13" -							Matching inside/outside handles, Integrated lever/tung

98.01.95.103	(Keyed)	Hole	95	or Steel Substrate) - PVD	2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	assembly, Key cylinder with 2 keys, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet
98.01.95.104	Inactive (Dummy)	Center/3 Hole or Offset/4 Hole	95	Satin Nickel (Zinc or Steel Substrate) - PVD	1.13" - 2.25"	1.00"	3.93"	8.50"	1.81"	2.26"	10	Matching inside/outside handles, 5 Sets of mounting screws, 2 Blind bolts, Instruction sheet

<https://www.amesburytruth.com/products/doors/sliding/handles/legacy>

02/05/2023 12:53 AM