

Side Adjust 39 Series

Part #	Roller Series	Roller Type	Roller Adjustment Type	Housing Material	Mounting Tabs	Standard or Precision Bearings	Wheel Material	Wheel Diameter	Wheel Rolling Diameter	Wheel Profile	Wheel Profile Radius	Estimated Panel Weight	Suggested Market
39.10.00.203	39 series	Tandem	Side Adjust - Gear Driven Cam	Steel	Standard	Standard	Steel	1.25"	1.00"	Concave Radius	0.125"	400	Entry Level
39.10.00.205	39 series	Tandem	Side Adjust - Gear Driven Cam	Steel	Standard	Standard	Steel	1.25"	1.00"	Concave Radius	0.125"	400	Entry Level
39.10.00.303	39 series	Tandem	Side Adjust - Gear Driven Cam	Steel	Standard	Precision	Steel	1.25"	1.00"	Concave Radius	0.125"	600	Entry Level
39.10.00.306	39 series	Tandem	Side Adjust - Gear Driven Cam	Steel	Standard	Precision	Steel	1.25"	1.00"	Concave Radius	0.125"	600	Entry Level
39.11.00.203	39 series	Tandem	Side Adjust - Gear Driven Cam	Steel	Standard	Standard	Composite w/Steel Frame	1.25"	1.00"	Concave Radius	0.125"	300	Mid-Level
39.11.00.300	39 series	Tandem	Side Adjust - Gear Driven Cam	Steel	Standard	Precision	Composite w/Steel Frame	1.25"	1.00"	Concave Radius	0.125"	300	Mid-Level
39.13.00.202	39 series	Tandem	Side Adjust - Gear Driven Cam	Stainless Steel	Standard	Standard	Stainless Steel	1.25"	1.00"	Concave Radius	0.125"	400	Mid-Level
39.13.00.300	39 series	Tandem	Side Adjust - Gear Driven Cam	Stainless Steel	Standard	Precision	Stainless Steel	1.25"	1.00"	Concave Radius	0.125"	600	Mid-Level
39.13.00.400	39 series	Tandem	Side Adjust - Gear Driven Cam	Stainless Steel	Standard	Precision	Stainless Steel	1.25"	1.00"	Concave Radius	0.125"	600	Mid-Level
39.14.00.202	39 series	Tandem	Side Adjust - Gear Driven Cam	Steel	Inverted	Standard	Steel	1.25"	1.00"	Concave Radius	0.125"	400	Entry Level
39.19.00.200	39 series	Tandem	Side Adjust - Gear Driven Cam	Steel	Standard	Standard	Composite w/Steel Frame	1.25"	1.00"	Flat	0	300	Mid-Level
39.21.00.200	39 series	Tandem	Side Adjust - Gear Driven Cam	Steel	Extended	Standard	Steel	1.25"	1.00"	Concave Radius	0.125"	400	Entry Level
39.22.00.200	39 series	Tandem	Side Adjust - Gear Driven Cam	Steel	Inverted	Standard	Composite w/Steel Frame	1.25"	1.00"	Concave Radius	0.125"	300	Mid-Level
39.23.00.200	39 series	Tandem	Side Adjust - Gear Driven Cam	Steel	Offset	Standard	Composite w/Steel Frame	1.25"	1.00"	Concave Radius	0.125"	300	Mid-Level
39.24.00.200	39 series	Tandem	Side Adjust - Gear Driven Cam	Steel	Offset	Standard	Steel	1.25"	1.00"	Concave Radius	0.125"	400	Entry Level
39.25.00.200	39 series	Tandem	Side Adjust - Gear Driven Cam	Stainless Steel	Inverted	Standard	Stainless Steel	1.25"	1.00"	Concave Radius	0.125"	400	Mid-Level
39.27.00.200	39 series	Tandem	Side Adjust - Gear Driven Cam	Stainless Steel	Standard	Standard	Composite w/Stainless Frame	1.25"	1.00"	Concave Radius	0.125"	300	Mid-Level
39.27.00.300	39 series	Tandem	Side Adjust - Gear Driven Cam	Stainless Steel	Standard	Precision	Composite w/Stainless Frame	1.25"	1.00"	Concave Radius	0.125"	300	Mid-Level

39.29.00.100	39 series	Tandem	Side Adjust - Gear Driven Cam	Stainless Steel	Inverted	Standard	Composite w/Stainless Frame	1.25"	1.00"	Concave Radius	0.125"	300	Mid-Level
--------------	-----------	--------	-------------------------------	-----------------	----------	----------	-----------------------------	-------	-------	----------------	--------	-----	-----------

<https://www.amesburytruth.com/products/doors/sliding/rollers/side-adjust/side-adjust-39-series>

08/15/2022 11:35 AM